

1.113.3

Operate and perform basic configuration of Apache Weight 4

Linux Professional Institute Certification — 102

Andrew Eager andrew.eager@aes-pl.com.au
Geoffrey Robertson ge@ffrey.com **Nick Urbanik**
nicku@nicku.org

This document Licensed under GPL—see section 9

2005 July

Outline

Context
Objective
Resources
Intro to Apache
Starting and Stopping Apache
`apachectl`
`httpd` options

`httpd` Options with
Parameters
Configuring Apache
Site-wide Directives
Directory block Directives
Access Control
Other Directives
License of this Document

1.113.3

Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

`apachectl`

`httpd` options

Configuring Apache

License of this
Document

Topic 113 Networking Services [24]

Where we are up to

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

apachectl

httpd options

Configuring Apache

License of this
Document

- 1.113.1 Configure and manage inetd, xinetd, and related services [4]
- 1.113.2 Operate and perform basic configuration of sendmail [4]
- 1.113.3 **Operate and perform basic configuration of Apache [4]**
- 1.113.4 Properly manage the NFS, smb, and nmb daemons [4]
- 1.113.5 Setup and configure basic DNS services [4]
- 1.113.7 Set up secure shell (OpenSSH) [4]

Description of Objective

1.113.3 Operate and perform basic configuration of Apache

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

apachectl

httpd options

Configuring Apache

License of this
Document

Candidates should be able to modify simple parameters in Apache configuration files, start, stop, and restart httpd, arrange for automatic restarting of httpd upon boot. Does not include advanced custom configuration of Apache.

Key files, terms, and utilities include:

1.113.3 Operate and perform basic configuration of Apache

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

apachectl

httpd options

Configuring Apache

License of this
Document

`httpd.conf` — main configuration file for
Apache

`apachectl` — a program to send
commands to a running Apache
server, especially the `graceful`
command

`httpd` — the Apache server program

Operate and Perform Basic Configuration of Apache

Resources of Interest

Apache home page: <http://httpd.apache.org>

1.113.3

Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

`apachectl`

`httpd` options

Configuring Apache

License of this
Document

Apache

- ▶ Apache is a web server (http daemon)
- ▶ Default on all Linux distros
- ▶ Most popular web server on the internet
- ▶ Named after the number of patches to original source code
- ▶ Provides both HTTP and HTTPS (SSL) as standard
- ▶ Other features added with modules (eg cgi)

1.113.3

Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

apachectl

httpd options

Configuring Apache

License of this
Document

Starting and Stopping Apache

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

apachectl

httpd options

Configuring Apache

License of this
Document

- ▶ Apache can be started:
 - ▶ On demand through `inetd` or `xinetd`
 - ▶ As a daemon
- ▶ Normally started as daemon to reduce connect delay
- ▶ Uses standard SysV start/stop semantics
 - ▶ Debian, Red Hat:
`$ sudo /etc/init.d/apache start ↔`
 - ▶ Red Hat/Fedora: `$ sudo service httpd start ↔`
- ▶ An alternative is `apachectl`
 - ▶ `$ sudo service httpd graceful ↔` actually calls `apachectl`

apachectl

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

apachectl is a management utility. To use it:

```
$ sudo apachectl <command> ←
```

<i>command</i>	<i>function</i>
start	Start the daemon
stop	Stop the daemon
restart	Restart or start the daemon
fullstatus	Report status of server (requires lynx)
graceful	Gracefully restart the server
configtest	Test config file syntax
help	Display commands

[Context](#)

[Objective](#)

[Resources](#)

[Intro to Apache](#)

[Starting and Stopping
Apache](#)

[apachectl](#)

[httpd options](#)

[Configuring Apache](#)

[License of this
Document](#)

httpd Options

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

The `httpd` daemon can be run directly if needed. On Debian the daemon is called `apache`.

<i>Option</i>	<i>Function</i>
---------------	-----------------

<code>-v</code>	Shows version
<code>-V</code>	Shows compile configuration
<code>-h</code>	List all cmd line parameters
<code>-l</code>	List compiled in modules
<code>-L</code>	List config directives
<code>-S</code>	Shows parsed settings (virtual hosts only)
<code>-t</code>	Test config file & doc root
<code>-T</code>	Test config file only

[Context](#)

[Objective](#)

[Resources](#)

[Intro to Apache](#)

[Starting and Stopping Apache](#)

[apachectl](#)

[httpd options](#)

[httpd Options with Parameters](#)

[Configuring Apache](#)

[License of this Document](#)

httpd options with parameters

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

[Context](#)

[Objective](#)

[Resources](#)

[Intro to Apache](#)

[Starting and Stopping
Apache](#)

[apachectl](#)

[httpd options](#)

[httpd Options with
Parameters](#)

[Configuring Apache](#)

[License of this
Document](#)

The following options take parameters:

<i>Parameter</i>	<i>Function</i>
-D <i><name></i>	Defines a name for use in <code>IfDefine name</code>
-d <i><directory></i>	Defines an alternate server root
-f <i><file></i>	Set a new configuration file
-C <i><"directive"></i>	Process directive before reading config file
-c <i><"directive"></i>	Process directive after reading config file

Configuring Apache

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

apachectl

httpd options

Configuring Apache

Site-wide Directives

Directory block Directives

Access Control

Other Directives

License of this
Document

- ▶ Apache originally (a decade ago) used 3 configuration files:
 - ▶ `httpd.conf` — Server settings
 - ▶ `srm.conf` — File types & doc specs
 - ▶ `access.conf` — Security settings
- ▶ All configuration is now done in `httpd.conf`
- ▶ Normally located in `/etc/httpd/conf`

Site-wide Directives

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

<i>Directive</i>	<i>Function</i>
ServerAdmin	Sets email address for admin
ServerName	Sets the name of the server
DocumentRoot	Sets the root for content served
ServerRoot	Sets root for server files
ServerType	<code>standalone</code> or <code>inetd</code>
MinSpareServers	No of free httpd's before starting more
MaxSpareServers	No of free httpd's before killing some
StartServers	No of httpd's to start
MaxClients	Maximum no of httpd's to run at once.

[Context](#)

[Objective](#)

[Resources](#)

[Intro to Apache](#)

[Starting and Stopping
Apache](#)

[apachectl](#)

[httpd options](#)

[Configuring Apache](#)

[Site-wide Directives](#)

[Directory block Directives](#)

[Access Control](#)

[Other Directives](#)

[License of this
Document](#)

Directory block Directives

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

apachectl

httpd options

Configuring Apache

Site-wide Directives

Directory block Directives

Access Control

Other Directives

License of this
Document

You can set directives so that they only apply to a particular part of the content directory tree. For example:

```
<Directory /Games>  
    AllowOverride None  
</Directory>
```

This says that the `.htaccess` file can not override settings for this directory

Access Control

This directive controls who can access what directories on your site. This is about the only directive that needs to be changed from an 'off-the-shelf' configuration if you don't want external users to access your site.

```
<Location />  
    order deny,allow  
    deny from all  
    allow from 127.0.0.0/255.0.0.0  
    allow from .c222  
</Location>
```

This says to deny first then allow. The result is that only users in the .c222 domain and the localhost will be able to access the server.

[Context](#)

[Objective](#)

[Resources](#)

[Intro to Apache](#)

[Starting and Stopping
Apache](#)

[apachectl](#)

[httpd options](#)

[Configuring Apache](#)

[Site-wide Directives](#)

[Directory block Directives](#)

[Access Control](#)

[Other Directives](#)

[License of this
Document](#)

Other Directives

There are a large number of configuration directives. These are grouped as follows:

- ▶ Aliases and Redirects
- ▶ Default pages
- ▶ User Web Directories (site content in a users home)
- ▶ MIME types
- ▶ CGI files
- ▶ Directory Browsing
- ▶ Authentication
- ▶ Virtual hosts (multiple sites on one host)
- ▶ Logging directives

Topics Covered

Context

Objective

Resources

Intro to Apache

Starting and Stopping Apache

`apachectl`

`httpd` options

`httpd` Options with Parameters

Configuring Apache

Site-wide Directives

Directory block Directives

Access Control

Other Directives

License of this Document

1.113.3

Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

`apachectl`

`httpd` options

Configuring Apache

Site-wide Directives

Directory block Directives

Access Control

Other Directives

License of this
Document

License of this Document

1.113.3
Operate and perform
basic configuration of
Apache
Weight 4

Andrew Eager

Context

Objective

Resources

Intro to Apache

Starting and Stopping
Apache

apachectl

httpd options

Configuring Apache

License of this
Document

Copyright © 2005, 2003 Andrew Eager
<andrew.eager@aes-pl.com.au>, Geoffrey Robertson
<ge@ffrey.com> and Nick Urbanik <nicku@nicku.org>.
Permission is granted to make and distribute verbatim copies
or modified versions of this document provided that this
copyright notice and this permission notice are preserved on all
copies under the terms of the GNU General Public License as
published by the Free Software Foundation—either version 2 of
the License or (at your option) any later version.