

Optus Ica08

Nick Urbanik <nicku@nicku.org>

This document Licensed under GPL—see section 2

29 Jan 2008

Optus Internet

Infrastructure
License Of This Document

Optus Configuration Management

Optus Ica08

Nick Urbanik

Optus Internet
Infrastructure

License Of This
Document

- ▶ We use all free software
 - ▶ except for Radiator and Netapps
- ▶ We have about 800,000 ISP customers
- ▶ We support about 500 servers
- ▶ With from 5 to 12 people
- ▶ How do we do it?

- ▶ With Central configuration
- ▶ ... and `conform`.
- ▶ Configuration stored entirely in three files as a Perl hash!
- ▶ Specify configuration entirely in the `machines` file
- ▶ Software stored in CVS ...
- ▶ and as RPMs in our `apt` repository
- ▶ build servers provision installation with Kickstart

Replace a box

- ▶ Machines file entry specifies configuration already
- ▶ Machine has new disk — kickstart it (uses PXE)
- ▶ Run `conform` on the box.
- ▶ All the required RPMs, CVS modules are installed
- ▶ All configuration is done completely
- ▶ Even the firewall is configured for the applications

Main Points

- ▶ No configuration is done locally
- ▶ This is system administration done by programming

Topics Covered

Optus Ica08

Nick Urbanik

Optus Internet
Infrastructure

License Of This
Document

Optus Internet Infrastructure

License Of This Document

License Of This Document

Optus Ica08

Nick Urbanik

License Of This
Document

Copyright © 2008 Nick Urbanik <nicku@nicku.org>

You can redistribute modified or unmodified copies of this document provided that this copyright notice and this permission notice are preserved on all copies under the terms of the GNU General Public License as published by the Free Software Foundation—either version 2 of the License or (at your option) any later version.